

2/14  
**FIG.2**




FIG.3

## EXAMPLE OF INFORMATION STORED IN COMMAND DATABASE

COMMAND	PARAMETER	ACTION
SCRAP	FIRST PARAMETER=LINE MARK LABEL SECOND PARAMETER=OUTPUT DESTINATION FILE	SUPPLY SPECIFIED LINE MARK PORTION TO SPECIFIED FILE
FTERM	FIRST PARAMETER=LINE MARK LABEL SECOND PARAMETER=THEME CODE THIRD PARAMETER=F TERM	RELATE THEME CODE AND F TERM WITH LINE MARK LABEL AND OUTPUT THEM (AUTOMATICALLY ENTER CORRESPONDING THEME NAME AND NAME)
@	FIRST PARAMETER=LINE MARK LABEL	REPLACE LINE MARK PORTION (EFFECTIVE ONLY IN MEMO MODE)
MEMO	FIRST PARAMETER=OUTPUT DESTINATION FILE	CHANGE MODE TO MEMO MODE FOR CHARACTER-RECOGNIZING ENTERED CHARACTER STRING AND SUPPLYING IT TO OUTPUT FILE
REC	FIRST PARAMETER=LINE MARK LABEL	CHARACTER-RECOGNIZE SPECIFIED LINE MARK PORTION AND ADD IT TO ELECTRONIC FILE
• •	• •	• •

FIG. 4






FIG. 5



6/14  
**FIG. 6**



7/14  
**FIG. 7**





FIG. 8

2B PAPER



65 OUTPUT FILE

FILE 3

[Third Patent Application Meeting]  
Date: February 1, 2004 10:00 to 12:00  
Place: Meeting room A  
Attendants: Arai, Yamada, Sato, and Suzuki.  
Subject  
(1) Patent Acquiring Promotion System  
(Materials prepared by Yamada)

64 END COLUMN



9/14  
**FIG.9**





FIG.10


EXAMPLE OF INFORMATION STORED IN CLASSIFIED INFORMATION DATABASE

THEME CODE	THEME NAME	F TERM	F TERM NAME
2B001	FRAME OF RICE PLANTER	AE00	COMMON STRUCTURE
:	:	:	:
2C150	TOY	AJ22	AVERAGING MEANS FOR PARTICLE IN DIAMETER
2C162	ELECTROMAGNETIC PRINTER AND OPTICAL PRINTER	AJ23	EQUALIZING MEANS FOR AMOUNT OF TONER
2C187	PROCESS OF RECORDING INFORMATION FOR PRINTING	AJ24	ONE COMPATIBLE TO CHARGING MEANS OF TONER
:	:	:	:


FIG.11



12/14  
FIG. 12



13/14  
FIG. 13



14/14  
**FIG. 14**

